STATEMENT OF WORK (SOW) FOR THE Rebuild of Portable Monitor AN/USQ-121 Digital Printed Wiring Assembly (PWA) NSN 5998-01-357-5896 P/N 87001D5400; CAGE 01365

R. BOSWELL

Equipment Specialist

Elec/Sensor Section (Code 847-4)

MCLB, Albany, GA

E. POWELL

Inventory Manager

Elec/Sensor Section (Code 847-4)

MCLB, Albany, GA

PHYLLIS W. SPIVEY

Weapon System/Equipment Manager Elec/Sensor Section (Code 847-4)

MCLB, Albany, GA

STATEMENT OF WORK FOR THE Rebuild of Portable Monitor AN/USQ-121 Digital Printed Wiring Assembly (PWA) NSN 5998-01-357-5896 P/N 87001D5400; CAGE 01365

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW), identifies the work effort that shall be performed by the contractor to rebuild the Digital PWA, NSN 5998-01-357-5896, Part Number 87001D5400, CAGE Code 01365. This document contains requirements to restore the Digital PWA to Condition Code "A". Condition Code "A" is defined as serviceable and/or issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining.
- 2.0 <u>Applicable Documents.</u> The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standard

MIL-STD-2073-1C DoD Standard Practice for Military Packaging MIL-STD-129 DoD Standard Practice for Military Marking

Military Standard (For Reference Only)

MIL-STD-973 Configuration Management

2.2 Other Government Documents and Publications

Sechan Electronics, Inc.

Digital PWA Test Procedure Document 250-036, Rev. A

87001D5400 Technical Data Package 87001D5400/CAGE 01365

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel From the

Federal Supply System

2.3 <u>Industry Standard</u>

ANSI/EIA-625 Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems

Copies of Military Specifications and Standards are available from the Naval Publications and Forms Center, (Attn: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Weapon System Manager: Life Cycle Management Center, Attn: Code 847-4, 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, ATTN: Code 825-3, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

- 3.1 The contractor shall rebuild the Digital PWA in accordance with technical data package 87001D5400/CAGE 01365.
- 3.2. The contractor shall establish, implement and document an ESD control program following the guidelines provided in EIA-625. ESD protective measures shall be used during rebuild, test, marking, packaging, storing and transporting the Digital PWA.
- 3.3 Quality acceptance and test procedures shall be in accordance with Technical Data Package 87001D5400 and paragraph 7.0 of Sechan Electronics, Inc., Digital PWA Test Procedure Document 250-036.
- 3.4 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without receiving prior written authorization. The baseline configuration has been defined by documentation contained in Technical Data Package 87001D5400. If it is necessary to depart from the authorized configuration baseline, the contractor shall submit a Request for Deviation or Request for Waiver using MIL-STD-973, paragraph 5.4.3 or 5.4.4., as a guide.
- 3.5 Quality Assurances Provisions. The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.

3.6 Packaging, Handling, Storage and Transportation (PHS&T).

- a. The Contractor shall be responsible for preservation and packaging of items being rebuilt under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1C, Appendix J, Table J.Ia, Specialized Preservation Code "GX". Items being prepared for domestic shipment or immediate use shall be to level "B" requirements. All items subject to damage by electrostatic sensitivity shall be packed into a reusable fast-pack container.
 - b. Marking shall be in accordance with MIL-STD-129.

- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment and the contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the equipment to and from the contractor.
- 3.7 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/G316-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- 3.8 <u>Contractor Furnished Materiel (CFM)</u>. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reparding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Heedquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be swere that notwithstanding any other provision of

						saza DO NOT RETURN your form to the					
A. CONTRACT LINE ITEM NO. B. EXHIBI			C. CATEGORY:	X_							
D. SYSTEM/ITEM Digital Printed Wiring Assy			E. CONTRACT/PR MO. F. CONTRA			CTOR					
. DATA ITEM NO.	2. TITLE OF DATA ITEM		1.		3. SUBTITLE						
		_									
A001		Request	For Deviation		_	Configuration Management					
I. AUTHORITY <i>(Data Acquisi</i> To L. C	· -		5. CONTRACT REFEREN			6. REQUIRING OFFICE					
DI-CMAN-80640		10, FREQUENC	SOW 3.4		020	MCLBA (825)					
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED A		SREQ	SEE BLK 16		14. DISTRIBUTION	b. COPIES				
8. APP CODE		11. AS OF DAT		13. DATE OF SUBSEQUENT		a. Addressee	-	Final			
				SUBMISSION		d. ADDIEGOEL	Draft	Reg Repro			
II. REMARKS Blk 4 - Contractor format is authorized.					MCLBA (825-2)	0	1	0			
Blks 10 & 12 - nonconforming locumentation.	RFDs shall be su material which o	ibmitted t loes not r	to obtain authoneet prescribe	orization to delive d configuration	er						
	eviewed and disp Government.	osition de	etermined with	nin 30 calendar da	ıys upon						
RFDs shall be transmitted via E-Mail to the following address: mbmatcommconfigmngmnt@matcom.usmc.mil											
Distribution St	atement A: Appr	oved for	nublic release	distribution is a	nlimited						
213th Dution Su	астен А. Аррі	ovea 101	public release	, distribution is u	minica						
							ļ <u>.</u>				
							-				
							-				
							 		:		
							-				
							 				
								<u> </u>			
						1E TOYAL		4			
G. PREPARED BY	<u> </u>		H. DATE	I. APPROVED B		15. TOTAL	J. DAT	<u>1</u>	0		
Jane) 1, AUG 96 (EG)	10 N	8/30/	99 PW	Spia	ey)	9/1 Page	/99 of	Pages		

7. PRICE GROUP 8. ESTIMATED TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department and Reports (0701-0188), 1215 Jefferson Devis Higheyer, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that netwritestanding any other provision of law, no person shell be subject to any penalty for failing to comply with a Collection of information if it does not only suit as Control number.

— Please DD NOT RETURN your form to the above address. Send completed on

	ontracting Officer for the Contract/									
A. CONTRACT LINE ITEM NO. B. EXI		B. EXHIBIT	HIBIT C. CATEGORY: TDP TM OTHER			×				
D. SYSTEMATEM Digital Printed Wiring Assy		ssy			F. CONTRA	CTOR				
. DATA ITEM NO.	2. TITLE OF DATA ITEM	<u> </u>			3. SUBTITLE	SUBTITLE				
A002		Drawoot For Waiton				Configuration Ma	***	·m+		
						Configuration Management				
4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE SOW 3.4						MCLBA (825)				
DD 258 REG	9. DIST STATEMENT	10. FREQUEN		12. DATE OF FIRST SUBMISS		14. DISTRIBUTION				
LT	REQUIRED	A	ASREQ TE	SEE BLK	16	a. ADDRESSEE	b. COPIES			
8. APP CODE		11. AS OF DA		13. DATE OF SUBSEQUENT SUBMISSION			Draft	Final		
							\perp	Rag	Repro	
, REMARKS						MCLBA (825-2)	0	1	0	
	actor format is aut									
ilks 10 & 12 onconformin ocumentation	- RFWs shall be s g material which i.	submitted does not t	to obtain aut meet prescrib	horization to delived configuration	er		-			
RFWs will be eccipt by the	reviewed and dis Government.	position d	letermined wi	ithin 30 calendar o	lays upon					
RFWs shall be abmatcomme	e transmitted via l onfigmngmnt@m	E-Mail to atcom.usr	the following nc.mil	g address:						
Distribution S	tatement A: App	roved for	public releas	e, distribution is u	ınlimited					
			•							
								-		
							+			
							+ +			
							+ - 1			
							+			
						-				
							1 1			
							\perp			
							<u> </u>			
							4			
							+			
							+			
							+			
							+			
						 	+			
							† †			
						15. TOTAL	0	1	0	
. PREPARED BY	۰.۸	Λ	H. DATE	I. APPROVED	BY	٢	J. DATE			
Danos	C Clar	lo	8/30/	99 Bu	Spen	rey	9/	1/9	9	
D'FORM 1423	-1. AUG 96 (EG)		7 / P	REVIOUS EDITION MAY B	ÚSFD.	17	Рапе	of	Page	

7. PRICE GROUP 18. ESTIMATED TOTAL PRICE